

AGENDA

REGULAR MEETING OF THE BOARD OF HEALTH

Thursday, August 20, 2020 at 6:15 pm
Held via Zoom Meeting

Due to Coronavirus (COVID19) this meeting will be held via Zoom to protect the health and safety of our citizens, staff, and volunteers. To participate please join using the following Zoom meeting information: Meeting ID: 856 3688 6033 Password: 740502. Please contact the City Clerk's office at 307-721-5220 for further information.

1. Call to Order and Roll Call

2. APPROVAL OF AGENDA AND MINUTES

2.A. Consideration of Changes in Agenda and Setting the Agenda

A. MOTION BY ____, seconded by ____, that the following changes to the Agenda be approved:

B. MOTION BY ____, seconded by ____, that the Agenda be set as submitted or changed.

2.B. Minutes from the February 20, 2020 Board of Health Meeting

Recommended Motion:

I move to approve the minutes from the February 20, 2020 Board of Health meeting.

Documents:

[BOH Minutes 2-20-2020.pdf](#)

3. Public Comments on Non-Agenda Items - No action will be taken

4. Board of Health and Staff Reports and Comments

4.A. Updates from Health Inspector

Documents:

[Inspection Tracker.pdf](#)
[Pool, City of Laramie.pdf](#)
[Current Inspection Portfolio.pdf](#)
[Food, City of Laramie.pdf](#)

5. Disclosures

6. Business

6.A. Old Business

6.B. New Business

7. Date for Next Regular Meeting -November 19, 2020 at 6:15 pm

8. Adjourn

SPECIAL ACCOMMODATIONS. This facility is wheelchair accessible and accessible parking spaces are available. Requests for accommodations or interpretive services must be made at least 24 hours prior to this meeting. Please contact the City Clerk's Office at 307-721-5220 for further information.

MINUTES
CITY OF LARAMIE, WYOMING
BOARD OF HEALTH MEETING
FEBRUARY 20, 2020

1. Call to Order and Roll Call

Regular Meeting of the Board of Health was called to order by Chair Ford at 6:23 p.m.

Present: Beth Young Jones, Jean Allais, and Becce Ford. Absent: Aaron Taff and Leslie Comly.

Staff Liaison: Jessica Stalder (present).

Staff: Nancy Bartholomew, City Clerk; and Cody Talbott, Environmental Health Specialist.

2. Approval of Agenda and Minutes

2.A. Consideration of Changes in Agenda and Setting the Agenda

MOTION BY YOUNG JONES, seconded by Allais, that the Agenda be set as submitted.

MOTION CARRIED by voice vote.

2.B. Minutes from the November 21, 2019 Board of Health Meeting

MOTION BY YOUNG JONES, seconded by Allais, to approve the minutes from the November 21, 2019 meeting.

MOTION CARRIED by voice vote.

3. Public Comments on Non-Agenda Items- No action will be taken

4. Board of Health and Staff Reports and Comments

4.A. Updates from Health Inspector

Cody Talbott- gave report update.

5. Disclosures

6. Business

6.A. Old Business

6.B. New Business

7. Date for Next Regular Meeting- May 21, 2020 at 6:15 p.m.

8. Adjourn

MOTION BY ALLAIS, seconded by Young Jones, to Adjourn.

MOTION CARRIED by voice vote.

Board adjourned at 6:41 p.m.

| Date | Routine | Follow-up | Complaint | New | Temp Permits | Temp Inspections | Risk Assessment | Consults | Train/W | Plan Review |
|------------------------|---------|-----------|-----------|-----|--------------|------------------|-----------------|----------|---------|-------------|
| 4-17-18 to 6-28-17 | 52 | 20 | 2 | 7 | 79 | | 39 | | | |
| 6-29-18 to 7-19-18 | 16 | 4 | 1 | 1 | 21 | 21 | 15 | 5 | 2 | |
| 7-20-18 to 8-30-18 | 28 | 12 | 2 | 4 | 20 | | 28 | 6 | 5 | |
| 8-31-18 to 9-27-18 | 24 | 9 | | 4 | 7 | 3 | 24 | 2 | 1 | |
| 9/27/18 to 10-18-18 | 26 | 1 | | 2 | 6 | | 20 | | 1 | |
| 10/19/2018 to 11-15-18 | 32 | 4 | 1 | 2 | 3 | | 30 | 3 | 1 | |
| 11/16/2018 to 2/21/19 | 86 | 12 | 1 | 2 | 4 | | 27 | 2 | 1 | 5 |
| 2/25/2019 to 5-16-19 | 71 | 7 | | 8 | 21 | | 103 | 5 | | 12 |
| 5/17/2019 to 8-22-19 | 87 | 8 | 2 | 4 | 98 | 23 | 29 | 13 | 2 | 4 |
| 8/23/2019 to 11-21-19 | 90 | 5 | 3 | 12 | 34 | 5 | 92 | 5 | 4 | 3 |
| 11-22-19 to 2-20-2020 | 80 | 4 | | 4 | | | 13 | 13 | | 3 |

Inspections for 02-21-2020

Beitel Elementary School- no violations noted, compliant

Einstein Brothers Bagels- no violations noted, compliant

Laramie High School- no violations noted, compliant

Laramie High Culinary- no violations noted, compliant

Elements- no violations noted, compliant

Old Man Grill- no violations noted, compliant

Snowy Range Academy- no violations noted, compliant

Pizza Hut- no violations noted, compliant

17th Street Café- no violations noted, compliant

Linford Elementary School- no violations noted, compliant

UW Lab School- non-critical violation, corrected during inspection, compliant

Montessori School- no violations noted, compliant

Albany County Detention Center- no violations noted, compliant

Altitude Chophouse and Brewery- critical violation corrected during inspection, compliant

CK Chuckwagon- critical violations, corrected during the inspection, compliant

Carl's Jr.- no violations noted, compliant

Applebee's- critical violations, corrected during inspection; non-critical violations requiring follow-up inspection

Chef Without a Kitchen- no violations noted, compliant

On The Hook Fish and Chips-Processing facility- inspection and licensing

Qdoba- follow-up inspection, violations corrected, compliant

West Laramie Fly Store- no violations noted, compliant

Ruffed-up Duck- no violations noted, compliant

Copper's Corner- non-critical violations, requiring follow-up inspection

Applebee's- follow-up inspection, compliant

Laramie Connections Church- critical violation, corrected during inspection, compliant

Topper's Pizza- no violations noted, compliant

Fernando's Mexican Grill (formally Almanza's)- critical violations, corrected during inspection, compliant

Palermo's Italian Restaurant- 4 critical/1non-critical violation; corrected during the inspection, compliant

Dollar General- pre-opening inspection and licensing

Mr. Bill's Burgers-pre-opening inspection and licensing

307 Meat Company- pre-opening inspection and licensing of retail store

The Lodge Nutrition & Energy- pre-opening inspection and licensing

Jeffrey's Bistro- change of ownership, inspection and licensing

Chacho's Tacos- no violations noted, compliant

Hambones Pizza- pre-opening inspection and licensing

Curry Time- pre-opening inspection and licensing

Dollar General- routine inspection no violations noted, compliant

Mr. Bill's Burgers- routine inspection no violations noted, compliant

Petro Trucker Store- no violations noted, compliant

Petro fuel Island- no violations noted, compliant

Wyoming Rib & Chop- critical violation, corrected during the inspection compliant

No. 1 Buffett- no violations noted, mandate clarification regarding buffets, compliant

Papa Murphy's Pizza- no violations noted, compliant

Snowy Stores- no violations noted, complaint

Third Street Shell- no violations noted compliant

Corona Village- critical violation corrected during inspection, compliant

Mizu Sushi- no violations noted, compliant

Double Dubs- no violations noted, compliant

Cask 307- no violations noted, compliant

Starbucks Coffee- no violations noted, compliant

Burger King- no violations noted, compliant

On the Hook HQ- no violations noted, compliant

Freddy's- no violations noted, compliant

Hambone's Pizza- no violations noted, compliant

McDonald's Grand Ave- no violations noted, compliant

Niko Steak and Sushi- critical and non-critical violations, follow-up required

Perkins Family Restaurant- critical violation corrected during inspection, compliant

McDonald's-Snowy Range Rd- no violations noted, compliant

Petro Iron Skillet-no violations noted, compliant

Curry Time- routine for starting operations, compliant

Taco Bell- no violations noted, compliant

Pilot Wendy's- no violations noted, compliant

Pilot Travel Center- no violations noted, compliant

Comfort Inn- no violations noted, compliant

Coal Creek Uptown- critical violation, corrected during inspection, compliant

Arby's- no violations noted, compliant

Roxie's on Grand- no violations noted compliant

Daylight Donuts- no violations noted, compliant

Taco John's of Laramie- no violations noted, compliant

WalMart-Deli Department- no violations noted, compliant

WalMart-Meat Department-critical violation, corrected during the inspection, compliant

WalMart- Seafood Department- no violations noted, compliant

Born in a Barn-no violations noted, compliant

Subway-Adams Street- no violations noted, compliant

Ridley's Family Markets- Meat Department- critical violation corrected during inspection, compliant

Ridley's Family Markets- Deli Department- no violations noted, compliant

Ridley's Family Markets- Seafood Department- no violations noted, compliant

Ridley's Family Markets- Bakery Department- no violations noted, compliant

Ridley's Family Markets- Grocery/Produce Department-non-critical violation corrected during inspection

Laramie Community Rec Center Concessions- no violations noted, compliant

Laramie Community Rec Center Outdoor- no violations noted, complaint

Eppson Center for Seniors- no violations noted, compliant

Hilton Garden Inn- no violations noted, compliant

Wendy's of Laramie- no violations noted, compliant

Chili's- no violations noted, compliant

The Grounds- no violations noted, compliant

Subway of Laramie (3rd Street)- no violations noted, compliant

Feeding Laramie Valley- no violations noted, compliant

Coal Creek Tap- no violations, compliant

Chili's- complaint inspection, closed

Sugar Mouse Cupcake House- no violations noted, compliant

Papa John's Pizza- no violations noted, compliant

Dairy Queen- no violations noted, compliant

Ugly Mug Coffee- new license preopening inspection, compliant

Bernie's Mexican Restaurant- no violations noted compliant

Little Caesar's Pizza- no violations noted, compliant

Altitude Ice- no violations noted, compliant

Albany County Fairgrounds- no violations noted, compliant

Accomplice/Good Egg- critical and non-critical violations, corrected during the inspection, compliant

Crowbar and Grill- no violations noted, compliant

McAlisters Deli- no violations noted, compliant

Jimmy John's- no violations noted, compliant

Subway-Grand Ave- no violations noted, compliant

Sonic- critical and non-critical and critical violations, corrected during the inspection, compliant

Corona Village #4/Andale Rapido- no violations noted, compliant

Big D Oil- non-critical violation, corrected during the inspection, compliant

Safeway-convenience store- no violations noted compliant

3rd Street Bar & Grill- no violations noted, compliant

Big Hollow Coop- no violations noted, compliant

Big Dipper Ice Cream- no violations noted, compliant

Buckhorn Bar- no violations noted, compliant

Domino's Pizza- no violations noted, compliant

Mr. Jim's Pizza- no violations noted, compliant

Lovejoy's Bar & Grill- critical and non-critical violations, corrected during inspection compliant

DP Dough- no violations noted, compliant

Hampton Inn- no violations noted, compliant

Fraternal Order of Eagles- no violations noted, compliant

American Legion-critical violation, corrected during inspection, compliant

Moose Lodge- critical violation, corrected during inspection, compliant

Holiday Inn- no violations noted, compliant

Fairfield Inn & Suites-no violations noted, compliant

Gateway Fuels- no violations noted, compliant

UW Catering Kitchen- no violations noted, compliant

Pita Pit Franchise- critical violation, corrected during inspection, compliant

Panda Express- no violations noted, compliant

Alice Hardie Stevens Center-no violations noted, compliant

Sportsman's Warehouse- inspection for licensing and prepackaged

Night Heron Books & Coffeehouse- no violations noted, compliant

Night Heron Bakery- non-critical violation, corrected during inspection, compliant

Second Story- critical violation, corrected during inspection, compliant

Subway- Wal Mart- no violations noted, compliant

Big D Exxon-no violations noted, compliant

Ugly Mug Coffee- no violations noted, compliant

The Pit Stop- no violations noted, compliant

Speedgoat- no violations noted, compliant

Coal Creek Coffee Company- no violations noted, compliant

Sushi Boat- critical violation, corrected during inspection, compliant

Bagel Makers- no violations noted, compliant

High Altitude Performance Center- no violations noted, compliant

Masonic Temple-no violations noted, compliant

Big D #55 Snowy Range Station- inspection for licensing, compliant

Prairie Rose Café- no violations noted, compliant

Java Java-no violations noted, compliant

Loaf 'N Jug-Grand Ave- no violations noted, compliant

Loaf 'N Jug- 3rd ST- no violations noted, compliant

Kum & Go- no violations noted, compliant

Qdoba- non-critical violations, requiring follow-up inspection

CJ's Express- no violations noted, compliant

Rolling Mill-no violations noted, compliant

| Business Name | Inspection Date | Violation | PDC |
|--------------------------|-----------------|--|---|
| HAMBONES PIZZA | 5/12/2020 | Cleaning of cooking and baking equipment | Pizza trays from previous owner stored on rack and must be cleaned prior to use as carbon build up and food debris were observed. Discussed with owner that trays could be soaked with de-greaser in first of four sinks for ware washing. |
| FERNANDO'S MEXICAN GRILL | 3/17/2020 | Handwashing cleanser, availability | Observation: Hand wash station between dish room and kitchen did not have soap available; automatic dispenser was not operational. Jose stocked temporary pump bottle of soap during the inspection. |
| FERNANDO'S MEXICAN GRILL | 3/17/2020 | Safe, unadulterated, honestly presented | Observation: Several boxes of meat in the walk-in freezer had ice accumulated on boxes and packages from water dripping from the evaporator. Employees removed product and ice from freezer; product not to be stored under unit unit drain is fixed which has been scheduled. Meat must be stored in food grade containers; zip lock bags. |
| FERNANDO'S MEXICAN GRILL | 5/21/2020 | Non-food contact surfaces | Observation: 1. Grease was accumulated on the hood over the grill; employee cleaned hood during the inspection. 2.The reach-in cooler had food debris, cheese present employee cleaned unit during the inspection. The seal on this unit needs to be repaired as seal was torn and doesn't allow for adequate cleaning. 3. The floor and floor drain in kitchen has food debris present. Employee cleaned floor and drain during the inspection. 4.Floor in walk-in cooler had food debris and what appeared to be blood seepage for vacuum packaged beef present. Floor was cleaned. 5.Floor and floor drain in dish room had considerable debris present and drain backed up during the inspection. Employees cleaned drained, removed food debris and completed a thorough mopping and cleaning of floor during the inspection. |
| COAL CREEK UPTOWN | 6/11/2020 | Equipment food contact surfaces and utensils clean to sight and touch. | Observation: Deli slicer had food debris present (meat and fat particles on the cutting blade and frame). Employees cleaned and sanitized the slicer during the inspection. |

| | | | |
|-------------------------------------|-----------|---|---|
| MR JIM'S PIZZA | 7/27/2020 | PHF/TCS foods maintained at 41°F or below, except during preparation, cooking, cooling, or when time is used as a public health control | Observation: Foods in the prep cooler temped 45 F. Foods had been in the cooler for approximately 3 hours according to the manager. Foods; pizza toppings were removed from prep cooler and placed in walk-in cooler. Prep cooler thermostat was turned to colder temperature during the inspection. Cooler evaporator/condenser needs to be cleaned as fins had considerable build-up of debris/lint/dust; unit needs to have maintenance conducted prior to next use. |
| PITA PIT FRANCHISE | 7/29/2020 | PHF/TCS foods maintained at 41°F or below, except during preparation, cooking, cooling, or when time is used as a public health control | Observation: Cold holding prep cooler was temped at 48 F, thermostat was turned to lower temperature; temperature was checked 1 hour later with no change in food temperature. Foods including leafy greens, cut tomatoes, cut cucumbers and cheeses were voluntarily discarded. Unit was removed from service and will be replaced with unit from Los Vaqueros. Unit needs to be repaired or replaced. |
| PERKINS FAMILY RESTAURANT - LARAMIE | 6/2/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish machine was not dispensing chlorine at the time of inspection. Repair technician was called and scheduled for the next morning. Facility will manually sanitize in three compartment sink until repairs are conducted. |
| MOOSE LODGE #390 | 7/28/2020 | Date marking for ready to eat, PHF/TCS food prepared on-site or opened commercial container held for more than 24 hours | Observation: Date marking was observed throughout the the kitchen however two large pans with roast beef were not labeled with production date or discard date. According to Harold, meat was cooked on 7-27-2020; meat was date marked during the inspection. |
| SUSHI BOAT | 8/4/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish dish machine was not operating properly at the time of inspection; machine was primed and chemical added to dispensing bucket and tested 100 ppm chlorine. |
| CURRY TIME LLC | 5/12/2020 | Hand drying provision | Paper towels were not available. Owner indicated that dispenser will be installed. |
| CURRY TIME LLC | 5/12/2020 | Test kit provided and used to measure sanitizing solution concentration | Chemical sanitizer; chlorine wasn't observed and test strips need to be available. |

| | | | |
|---|-----------|---|--|
| ACCOMPLICE LARAMIE LLC | 7/14/2020 | Equipment food contact surfaces and utensils clean to sight and touch. | Observation: Leading edge of ice machine had possible bacteria growth observed. Employee disassembled machine cleaned, sanitized machine during the inspection. |
| ACCOMPLICE LARAMIE LLC | 7/14/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish machine was not dispensing chlorine sanitizer at the time of inspection. The suction tube was extended past the grey plastic covering tube; possibly not allowing sanitizer to be drawn from the bucket. suction tube was placed inside the protective cover, machine primed and tested 100 ppm. Discussed with kitchen manager to either add a zip-tie to cover or cutting the suction tube diagonally to prevent future sanitation problems. |
| ACCOMPLICE LARAMIE LLC | 7/14/2020 | Non-food contact surfaces | Observation: Floor drains and inside ledge of the reach-in freezer had food debris present at the time of inspection. Employees cleaned areas during the inspection. Ventilation hood needs to be cleaned as grease was accumulating on exterior of hood, piping nozzles and grease trays. |
| HUSTED PENDLETON AMERICAN LEGION #14 | 7/28/2020 | PHF/TCS foods maintained at 41°F or below, except during preparation, cooking, cooling, or when time is used as a public health control | Observation: Small reach-in cooler adjacent to the bar for cold holding of dairy products and juices was not holding foods at 41 F or lower; temped 48 F. Foods were removed and stored in reach-in cooler in the back room temped 33 F. Small reach-in cooler needs to have maintenance conducted or replaced prior to use for cold holding of potentially hazardous foods. Other cold holding units in bar and kitchen were operational and were holding below the 41 F requirement. |
| 307 OFFICE/COPPER' S CORNER | 3/11/2020 | Floor, wall, ceiling surface characteristics | Ceiling in walk-in cooler has paint peeling and needs to be sealed and painted. The basement has had water damage from a plumbing issue which has been corrected. Facility has a plan in place for remediation and cleaning of basement to prevent mold/bacteria growth. IIC will continue to monitor clean-up and follow-up inspection of basement. |

| | | | |
|-----------------------------------|-----------|---|---|
| 307 OFFICE/COPPER' S CORNER | 3/11/2020 | Wood and plastic use limitations | Observation: Bare wood table/shelf and wood shelf liners in walk-in cooler need to be sealed or replaced with non-absorbent material to allow for adequate cleaning. |
| 307 OFFICE/COPPER' S CORNER | 3/11/2020 | Non-food contact surfaces | Observation: 1. Floor underneath the bar sinks and counter need to be cleaned as there was debris including drink glass, bottle tops and dust/dirt observed. 2.Reach-in cooler at the end of the bar, next to packaged liquor store has considerable build-up of food debris on the bottom of unit and in door slides. Unit has seals that are damaged and need to be replaced or repaired. 3. Floor drain for the ice machine needs to be cleaned as possible bacteria growth observed accompanied by odor. |
| SONIC DRIVE INN | 7/15/2020 | PHF/TCS foods maintained at 41°F or below, except during preparation, cooking, cooling, or when time is used as a public health control | Observation: Prep cooler next to the hot line was not holding foods below 41 F. Internal thermometer was reading 59 F and foods temped the same. Foods including cheese, sliced tomatoes, shredded lettuce, mayonnaise and hot dogs were voluntarily discarded because of temperature abuse. Cold holding unit was removed from the line and new prep foods from the walk-in cooler were placed in upright cooler on the opposite side of the line which was holding foods at 38 F. Prep cooler needs to be repaired or replaced with cleaning conducted; as food debris was present throughout; prior to reuse. |
| SONIC DRIVE INN | 7/15/2020 | Non-food contact surfaces | Observation: Floor throughout the kitchen cook line had considerable accumulation of grease and food debris including behind the cook and fry lines. GM applied de-greaser and washed the floor during the inspection. The grease tray for the cook top was spilling over during the inspection; tray was emptied during the inspection. Cleaning of equipment non-food contact surfaces and floors/walls needs to be addressed in terms of frequency and monitoring. |

| | | | |
|----------------|-----------|---|---|
| QDOBA | 8/19/2020 | Non-food contact surfaces | <p>Observation: Following areas need to be cleaned:</p> <ol style="list-style-type: none"> 1. Floor drain and piping for the three compartment sink; debris present. 2. Floor in prep kitchen and underneath cook line as food debris and grease accumulating. 3. Tables in prep area including shelves and wheels/casts need to be cleaned as debris and grease accumulated. 4. Cook line equipment including hot boxes, fryer, cook top and charbroiler (shelf/table below) need to be cleaned as food debris and grease is accumulated. 5. Ceiling tiles, light covers and vents/ducts adjacent to cook-line and above to-go orders needs to be cleaned as lint/dust is accumulating. |
| QDOBA | 8/19/2020 | Ventilation hood systems, drip prevention | <p>Observation: Ventilation hood needs to be cleaned including exterior, piping and nozzles as grease and lint are accumulating.</p> |
| ALTITUDE | 3/4/2020 | Raw animal foods separated from each other during storage, separation, holding, and display | <p>Observation: Ground Beef and Bison patties were observed stored in metal service pans above whole muscle meats in grill cooler. Kitchen manager moved ground meats below whole muscle during the inspection.</p> |
| CORONA VILLAGE | 5/19/2020 | PHF/TCS food maintained at 135°F or above, except during preparation, cooking, cooling, or when time is used as a public health control | <p>Observation: Pork green chili, taco meat and shredded chicken in hot holding unit temped 109 F; cook indicated that foods had been reheated and placed in warmer approximately an hour prior to inspection. Foods were reheated on stove top to at least 165 F and placed back into hot holding unit with increased thermostat temperature.</p> |
| UW LAB SCHOOL | 2/28/2020 | Cooking and baking, nonfood contact surfaces | <p>Observation: Microwave ovens (3) had build-up of food debris present. Discussed with Lunch Monitor- Tiffany that ovens need to be regularly monitored and cleaned. Microwave ovens were cleaned during the inspection.</p> |

| | | | |
|-------------------------------------|-----------|--|--|
| WYOMING RIB & CHOP | 5/18/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | <p>Observation: Kitchen chemical dish washer was not dispensing chlorine at a rate of 50-100 ppm; supply line was not connected to pump.</p> <p>Bar chemical dish washer was dispensing chlorine at the time of inspection; supply line had a hole in it not allowing for proper operation.</p> <p>Both dish machines were repaired during the inspection and were dispensing chlorine at a rate between 50-100 ppm.</p> |
| BURGER KING #2178 | 5/26/2020 | Plumbing system maintained in good repair | Hand wash sink next to the office was leaking and needs to be repaired. |
| NIGHT HERON BAKERY | 8/3/2020 | Outer openings are protected | <p>Observation: Door to the bakery was propped open at the time of inspection; screen door was closed upon request.</p> <p>Outer openings need to be protected to prevent entry of pests.</p> |
| RIDLEY'S FAMILY MARKET | 6/18/2020 | Equipment food contact surfaces and utensils clean to sight and touch. | Observation: Meat grinder and saw had meat/fat particles present at the beginning of inspection; equipment had not been used prior to inspection. Employee cleaned and sanitized prior to use. |
| RIDLEY'S FAMILY MARKET | 6/18/2020 | Raw fruits and vegetables washed before cutting, combining with other ingredients, cooked, served, or offered for human consumption in a ready to eat form | <p>Observation: Vegetables observed in prep sink with water that were going to be processed into salsa did not have any sanitizer present.</p> <p>Discussed sanitizing requirement with store manager and employee. IIC demonstrated proper washing/sanitizing fruits/vegetables using chlorine at a rate of 10 ppm; 1 cap full of chlorine with the sink filled 1/4 full.</p> |
| WALMART STORE #1412 | 6/16/2020 | Raw animal foods separated from each other during storage, separation, holding, and display | Observation: Raw ground beef was observed stored/displayed above whole muscle meats. Discussed requirements with management and meat department manager and meats were reorganized during the inspection with raw ground beef stored separately from or below whole muscle meats. |
| SECOND STORY | 8/3/2020 | Discarding ready to eat, PHF/TCS food prepared on-site or opened commercial container held at 41°F for 7 days | Observation: Commercial opened container of sour cream was date marked 7-26; past the 7 day discard date. Employee discarded product during the inspection. |
| DOUBLE DUB'S (COMMISSARY DEPENDENT) | 5/20/2020 | Non-food contact surfaces | The floor of the truck needs to be cleaned as food debris was observed next to the fryers. |

| | | | |
|-------------------------------|-----------|--|---|
| LARAMIE CONNECTIONS CHURCH | 3/15/2020 | Separating raw animal foods from raw ready to eat food and separating raw animal food from cooked ready to eat foods | Observation: 2 packages of ground beef were observed thawing in refrigerator with ready to eat foods below them. Discussed proper storage practices with kitchen manager. Product was moved to the bottom shelf away from ready to eat foods during the inspection. |
| PETRO IRON SKILLET RESTAURANT | 6/3/2020 | Non-food contact surfaces | Floor, walls and sides of fryer/equipment in cook line need to be cleaned as grease debris is starting to accumulate. |
| BIG D OIL | 7/16/2020 | Non-food contact surfaces | Observation: F'real machine base underneath the mixing cup and touch screen for operation had food debris present; employee cleaned during the inspection. Side of the fryer were brushes and spatulas are hung had considerable build up of flour and grease; employee cleaned during the inspection. The table were microwave and steam reheating kettle are located need to be cleaned including the equipment. |
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Handwashing sink equipped to provide water at a temperature of at least 100° F through a mixing valve or combination faucet. | Observation: Hand wash sink next to the dish sink and kitchen did not have hot water available; valve was turned off. Valve was turned on during inspection and hot water was available. Hand sink next to cooler and entry side of kitchen took several minutes for hot water to reach the faucet; indicating that it hasn't been recently used. Discussed with owner and staff the importance of proper hand washing; especially during this time in regards to controlling corona virus. |
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Separating raw animal foods from raw ready to eat food and separating raw animal food from cooked ready to eat foods | Raw chicken in metal storage pan was stored above raw shell eggs in walk-in cooler. Chicken was placed on bottom shelf and eggs were placed on bottom shelf on the other side of cooler. |
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Manual and mechanical warewashing equipment, chemical sanitation - temperature, pH, concentration, and hardness | Observation: Chlorine as sanitizer not available for dish machine. Chlorine purchased during the inspection. Supplier needs to be contacted for adequate supply of sanitizer. |
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Date marking for ready to eat, PHF/TCS food prepared on-site or opened commercial container held for more than 24 hours | Observation: Noodles and lasagna in walk-in cooler were not date marked after cooling; owner date marked product with 3-16. Foods must be frozen to stop the date marking clock, consumed or discarded with 7 days of production. |

| | | | |
|---|-----------|---|---|
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish machine was not dispensing chlorine as sanitizer at the time of inspection; there was no chlorine available. Employee purchased chlorine bleach during the inspection, machine was primed, tested between 50-100 ppm and test strips were available. |
| PALERMO'S ITALIAN RESTAURANT | 3/18/2020 | Non-food contact surfaces | Observation: Front of baking oven had food debris present; employee cleaned unit during the inspection. |
| GUERIN ENTERPRISES, INC DBA COAL CREEK COFFEE COMPANY | 8/4/2020 | Floor, wall, ceiling surface characteristics | <p>Wall behind the trash receptacle in kitchen has damage to drywall which needs to be repaired to prevent possible bacteria/mold/mildew growth and allow for adequate cleaning.</p> <p>Coving underneath hand sink and next to barista station needs to be reattached to the wall.</p> <p>Metal shelving in walk-in cooler down stairs is starting to have rust and lint/dust accumulate and needs to be cleaned.</p> |
| NIKO SUSHI AND STEAK | 6/2/2020 | Parasite destruction in fish | <p>Observation: Current letter of guarantee for parasite destruction in fish was not available.</p> <p>Letter needs to be renewed at the beginning of every calendar year.</p> |
| NIKO SUSHI AND STEAK | 6/2/2020 | Foods are cooled using appropriate methods | <p>Observation: Rice that was cooked prior to inspection was observed in reach-in cooler with plastic wrap covering. Discussed with employee that product must be cooled from 135 F to 70 F in 2 hours and from 70 F to 41 F in an additional 4 hours.</p> <p>Rice was placed in a second container with ice/water bath; food should be left uncovered until 41 F or below.</p> |
| NIKO SUSHI AND STEAK | 6/2/2020 | Non-food contact surfaces | <p>Observation: The following areas need to be cleaned as food debris, grease or debris was accumulating:</p> <ol style="list-style-type: none"> 1. Sides of the fryer 2. Microwave oven inside and control knob 3. Floor through the kitchen and prep areas including next to/behind the chemical dish machine 4. Inside and out of reach-in coolers; next to sushi line and reach-in coolers in the back room. 5. Walls throughout kitchen including the behind the fire extinguisher. Fire extinguisher also needs to be cleaner. |
| NIKO SUSHI AND STEAK | 6/2/2020 | Plumbing system maintained in good repair | Observation: Faucet on the three compartment was leaking and must be repaired or replaced. |

| | | | |
|---|-----------|---|--|
| CK CHUCKWAGON | 3/5/2020 | Date marking for ready to eat, PHF/TCS food prepared on-site or opened commercial container held for more than 24 hours | Observation: Items that were prepared yesterday were not properly date marked; discussed with James that prepared, cooled and foods from an opened commercial container need to be date marked. Employee date marked items in walk-in cooler during the inspection. |
| CK CHUCKWAGON | 3/5/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish machine was tested for chlorine concentration level with no level detected on test strip. Chlorine line had been mistakenly placed in detergent bucket, line was brittle and deteriorating; line was cut, placed in chlorine and after running the machine through multiple cycles chlorine sanitizing level was tested at 50 ppm. James, scheduled maintenance of machine during the inspection. |
| LOVEJOY'S BAR & GRILL | 7/27/2020 | Raw animal foods separated from each other during storage, separation, holding, and display | Observation: Bacon was observed underneath raw chicken and ground beef in walk-in cooler; chicken and beef were frozen and stored in sheet pan. Bacon was moved to other location in walk-in cooler. |
| LOVEJOY'S BAR & GRILL | 7/27/2020 | PHF/TCS foods maintained at 41°F or below, except during preparation, cooking, cooling, or when time is used as a public health control | Observation: Prep cooler opposite of the cook-line temped 48 F on the top trays. Beef in the bottom temped 40 F. Foods on the top were placed in ice bath until unit can be repaired or maintenance conducted. Other cold holding units including walk-in cooler were maintaining foods at 41 F or lower. |
| LOVEJOY'S BAR & GRILL | 7/27/2020 | Non-food contact surfaces | Observation: Rubber mat under the deli slicer was dirty and when removed broke. The area was cleaned during the inspection but needs to be addressed through cleaning task schedule. |
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Thawing PHF/TCS foods | Thawing observed in walk-in cooler and also using continual flow of cold water. |
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Reduced oxygen packaging of foods prepared without a variance control the growth of Clostridium botulinum and Listeria monocytogenes | Observation: Reduced Oxygen Packaged Fish was observed thawed in under broiler still in ROP. Discussed with manager that ROP fish must be removed from packaging to prevent the growth of Clostridium Botulinum. Product was discarded during the inspection. |

| | | | |
|---|----------|---|---|
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Warewashing machines, automatic dispensing of detergents and sanitizers | Observation: Chemical dish machine was not dispensing sanitizer at the time of inspection. Repair/maintenance technician was called and scheduled during the inspection. Machine can be used for ware washing but facility must manually sanitize through the three compartment sink; using quat at a rate of 200 ppm. |
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Non-food contact surfaces | Observation: 1. The floor and floor drains in the dish pit need to be cleaned as food debris observed. 2. Broiler/grill catch tray had substantial build up of debris and need to be cleaned and frequency of cleaning addressed. 3. Equipment and walls under the hood need to be cleaned as grease was accumulated. |
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Plumbing system maintained in good repair | Observation: Hand wash sink next to the prep sink is leaking and needs repairs conducted. |
| APPLEBEE'S NEIGHBORHOOD GRILL & BAR | 3/5/2020 | Ventilation hood systems, drip prevention | Observation: The ventilation hood over the flat top grill, charbroiler and stove top has considerable build up of grease and carbon. Hood, filters, piping and nozzles need to be cleaned. |